

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In re Application of:

Cheryl J. Brickey, et al

EMISSIVE INDICATOR DEVICE

Serial No. 10/747,605

Filed 29 December 2003

Group Art Unit: 2878

Examiner: Pascal M. Bui-Pho

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA. 22313-1450

Sir:

**NOTICE OF APPEAL**

Applicants hereby appeal(s) to the Board of Patent Appeals and Interferences from Primary Examiner's decision dated February 05, 2007, finally rejecting claims 1-10 and 13-29.

Please charge the appeal fee to Eastman Kodak Company Deposit

Account No. 05-0225. **(A duplicate copy of this Notice is enclosed.)**

Check below if appropriate



Applicants request(s) an extension of time of 1 month from the due date of May 05, 2007. Charge the extension fee to Eastman Kodak Company Deposit Account No. 05-0225. **(A duplicate copy of this Notice is enclosed.)**

Respectfully submitted,

  
Attorney for Applicants

Registration No. 33,564

Andrew J. Anderson/vjr  
Telephone: (585) 722-9662  
Facsimile: (585) 477-1148

If the Examiner is unable to reach the Applicant(s) Attorney at the telephone number provided, the Examiner is requested to communicate with Eastman Kodak Company Patent Operations at (585) 477-4656.